

SimpleLink™ GPS CC4000 Module by GNS

FEATURES

- **GPS Driver and Firmware Fully Integrated into** Module
- **Industry Standard NMEA 0183 Interface Protocol Communication**
- **NMEA Messages Supported:**
 - GGA: Time, Position and Fix Type Data
 - GLL: Latitude, Longitude, UTC Time of **Position Fix and Status**
 - GSA: GPS Receiver Operating Mode, Satellites Used in the Position Solution, and DOP Values
 - GSV: Number of GPS Satellites in View, Satellite ID Numbers, Elevation, Azimuth, and SNR Values
 - VTG: Course and Speed Information Relative to the Ground
 - RMC: Recommended Minimum Specific **GPS Data**
- Performance:
 - Autonomous Cold Start TTFF 35 Seconds in Open Sky Signal Conditions
 - Autonomous Hot Start TTFF ~ 1 Second in **Open Sky Signal Conditions**
 - Tracking Accuracy Better than 3 Meters
 - GPS Tracking Sensitivity: –162 dBm
 - Push-to-Fix: Single GPIO Activates Power

- Management for Active and Deep Sleep Modes
- **Ephemeris Data: Automatically Maintains** Satellite Positioning Information, Valid for up to 4 Hours
- Pulse-Per-Second (PPS) Generator: **Independent Output for High-Precision Timing Applications with Accuracy <100ns** (nominal)
- Host Interface: UART
- Dimensions: 10mm x 9mm x 2.3mm
- Operating Temperature Range: -30°C to +70°C
- **Complies to RoHS Standard**
- **Included Module Components:**
 - CC4000
 - **EEPROM**
 - **TCXO**
 - Filter

APPLICATIONS

- Asset Tracking
- **Industrial M2M**
- **Portable Navigation**
- **Sports / Fitness**
- **Precision Timing**

DESCRIPTION

The following product brief applies to the TC6000GN – a highly-integrated GPS module offered by GNS using Texas Instruments' SimpleLink™ GPS CC4000.

The GNS TC6000GN module incorporating SimpleLink™ GPS CC4000 device enables applications benefitting from precise time, location, and/or velocity data. This solution provides industry standard NMEA protocol data for accurate time, position, latitude, longitude, satellite status, course and speed. Autonomous warm start and hot start are enabled by on-board memory, improving start-up performance. A single GPIO is used to initiate a GPS fix (Push-to-fix), activating power management for active and deep sleep modes. Applications requiring high precision timing benefit from an independent programmable PPS generator. Further, the GPS driver and firmware is fully integrated into the module, greatly minimizing loading on the host CPU, and reducing system complexity. This allows GPS functionality to simply integrate with very small MCUs and MPUs.

This solution is provided as a module to help customers reduce development time, lower manufacturing costs, save board space, and minimize RF and GPS expertise required

The full specification of the TC6000GN can be found on GNS's website (www.TC6000GN.gns-gmbh.com). More information on TI's wireless platform solutions for GPS can be found on TI's Wireless Connectivity Wiki (www.ti.com/connectivitywiki).

Please be aware that an important notice concerning availability, standard warranty, and use in critical applications of Texas Instruments semiconductor products and disclaimers thereto appears at the end of this data sheet. SimpleLink is a trademark of Texas Instruments.



Disclaimer:

All content in and linked to this product brief is provided by TI "AS IS" without express or implied warranties of any kind, and it may contain errors, omissions and technical inaccuracies. TI does not endorse or warrant any of the third party products or services referenced on this product brief. This information is provided subject to TI's Terms of Use.

Be aware that an important notice concerning availability, standard warranty, and use in critical applications of Texas Instruments semiconductor products and disclaimers thereto appears at the end of this data sheet.

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

Applications

Automotive and Transportation www.ti.com/automotive

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

7 tadio	www.ti.oom/addio	Automotive and Transportation	www.ti.oom/aatomotive
Amplifiers	amplifier.ti.com	Communications and Telecom	www.ti.com/communications
Data Converters	dataconverter.ti.com	Computers and Peripherals	www.ti.com/computers
DLP® Products	www.dlp.com	Consumer Electronics	www.ti.com/consumer-apps
DSP	dsp.ti.com	Energy and Lighting	www.ti.com/energy
Clocks and Timers	www.ti.com/clocks	Industrial	www.ti.com/industrial
Interface	interface.ti.com	Medical	www.ti.com/medical
Logic	logic.ti.com	Security	www.ti.com/security
Power Mgmt	power.ti.com	Space, Avionics and Defense	www.ti.com/space-avionics-defense

Microcontrollers microcontroller.ti.com Video and Imaging www.ti.com/video

RFID <u>www.ti-rfid.com</u>
OMAP Mobile Processors www.ti.com/omap

Products

Audio

Wireless Connectivity www.ti.com/wirelessconnectivity

www.ti.com/audio

TI E2E Community Home Page <u>e2e.ti.com</u>